



Begonnen 9. IV. 1920

Ficus vesta Muell
Eriophyes prichioles v. *exior* Krümmchen

Artocarpus

K. 1. 12 m 1/2

sch. 14+12 Δ 1/2

BH 7 1/2 m 1/2

s. d. 10 a 1/2

Rod. 9 1/2 m 1/2

B. 1/2

Bl. 11 Bz. 12

s. pat. 12 1/2

s. pat. 12 1/2

1/4 1/2 3, 1/5 5:3

s. ext. 1/2

Fdk. 0 m 1/2 5 1/2

K. 1. 3 - Kz. 3 1/2

Ell. 7 1/2 m 1/2

s. cor. 1. n 22° 1/2

s. cor. 2. n 22° 1/2

alt. 0. 1. n 22° 1/2

Rg. 64 58 Co

sl. 79 n 22° 1/2

3. v. 1. 15-20

3. v. 2. 5 m 1/2

3. v. 3. 6-7 m 1/2

Schnpl. m

s. c.

1. 2. 0 m 1/2

2. 9. 11

3. 1. 1/2

4. 6. 6 1/2

Grand. 7 - 12 1/2

2. 80 - 16

3. 65 - 15 - 7



2 *Strobilanthes* sp. *Matipinstela* *Acanthaceae*

Eriophyes

K. 7

Sch.

BH

s.d. 20

Rosf.

B. 1. 4, B. 2. 12

Gl.

Fdk.

Kr

Lil.

s.cox

Abd. 1/2 11

Rg. 58

s.l. 12 0

s.v. I. 30 0 1/2

s.v. II. 7 0

s.v. III. 10 0

Schogl. m

s.c.

s.a

Epg.

BRK x Rg

sg.

Strobilanthes HK 2326

Acanthaceae

3

Eriophyes *Strobilanthes*

K. 10 0 1/2

Sch. II m 30 0 1/2 Sch. 5/50 m 10

BH 7. 20 0 1/2 Sch. 1/2 1/2

s.d. 15

Rosf. 10 0 1/2

B. 1. 13, B. 2. 12

IG. 4 = 5.5 = 3

Fdk. 1/2 m 1/2

Kr. I. 3, Kr. II. 4

Lil. 1/2 m 1/2

s.cox I. 1/2 m 1/2

s.cox II. 1/2 m 1/2

s.cox III. 15 0

Abd. 3 1/2

Rg. 67 69

Rg. 100 m 1/2

s.l. 12 0 1/2

s.v. I. 25 0

s.v. II. 5 0

s.v. III. 11 0

Schogl. m

s.c. 30 0 1/2

s.a 2 0

Epg. 70 0 1/2

BRK x Rg 1/2

sg. 5 2 0 0

Epg. 8



♀ 11.5 - 16 - 10

♂ 7.5 - 15 - 8

4. *Lepistemon flavescens* Bl. *Megac.*

Eriophyes lepidemonis

K. 27/28, AS 1/2

Sch. 20

BH. 7 1/2

s.d. 30

Rost. 1/2 - Chel. 1 1/2 - s. palp. 5

B. 1: 20 - B. 2: 18

Igl. 4: 6, gl. 5: 4 - II gl. 4: 5, gl. 5: 4 s. pat. I. 25

Fdk. 5

Kr. 2 + 4 1/2 Kr. 4: 3

Sl. 7

S. cox. 1. 22

S. cox. 2. 22

S. can. 3. 25

Abd. 1/2 - RS. 1/2 - Sch. 1/2 - 1/2 - 1/2

Rg. 72 1/2

S. l. 22

S. v. I. 25

S. v. II. 18

S. v. III. 12

Sch. 1/2

S. C. 1/2

S. a. 1/2

Erg. 12

Sk. 1/2

S. g. 10

Ep. 1/2

Ova 10

♀ 10 - 17 - 12

♂ 8 - 16



Convolvul.

Sch. 1/2

Solanum indicum L. *Gelbe Fl.* *Solanaceae* 5.

Eriophyes clathrothirus calicatus

30. 10. 6. (varine) spr. K. 1/2

K. 1/2 1/2 1/2 1/2

Sch. 16 1/2 1/2 1/2 1/2

BH. 7 1/2 1/2 1/2 1/2

s.d. 22 1/2 1/2 1/2

Rost. 1/2 1/2 1/2 1/2

B. 1: 15 - B. 2: 13

Igl. 4: 4 - gl. 5: 3 Igl. 4: 3, gl. 5: 3 s. pat. I. 11

Fdk. 4

Kr. 1. 4 Kr. 2. 5

Sl. 7

S. cox. 1. (22 1/2 1/2 1/2 1/2)

S. cox. 2. 22

S. can. 3. 20

Abd. 1/2 - RS. 1/2 - Sch. 1/2 - 1/2 - 1/2

Rg. 56 1/2 1/2

S. l. 12 1/2 1/2 1/2

S. v. I. 30

S. v. II. 18 1/2 1/2

S. v. III. 10 1/2 1/2

Sch. 1/2

S. C. 35 - 40

S. a. 1/2

Erg. 11 1/2 1/2

Sk. 1/2

S. g. 1/2 1/2 1/2

Ep. 1/2 1/2 1/2

Ova 10

♀ 85 - 18 95 - 20

♂ 75 - 18



s. ext. 2: 1/2

6. *Solanum dulcamara* 50/ p.m. 8
Eriophyes cladophyllus Hal 1892 429
 K. 2/2 2/2 2/2


Sch. 19 20
 BH. 7 20 20 20
 s.d. 30
 Rost. 10 20 20 20 Chel. 9
 B. 20 20 20 B. 1: 16 - B. 2: 14

Igl. 4: 4: 4: 4 - Igl. 4: 3 - gl. 5: 3

Fdk. 7 45h
 Kr. 1: 5 Kr. 2: 6
 Scl. 16 20
 S. cor. 1. 20 20 20
 S. cor. 2. 20 20 20
 S. cor. 3. 16

Abd. 3 20 20 20
 Rg. 60 60 60 60
 s.l. 17 20 20
 s.v. I. 30 20
 s.v. II. 10 20
 s.v. III. 11 20
 Sch. 20 20 20
 s.c. 20
 s.a. 20 20
 Epg. 12 20
 Scl. 20 20
 s.g. 10 20
 Epant. 10

♀ 95-20 - 110-20-12
 ♂ 100-18 110-22



s. fem. I. 6
 s. ext. I. 12
 s. fem. II. 6
 s. ext. II. 15



Solanaceae

Molochia arborea Blanco. Tm. 630 23. IV. 1919 *Simuliaceae* 7.
Eriophyes Phytolochelus orthiaspis 23. IV. 1919

Sch. 19 20 20 20
 BH. 7 20 20 20
 s.d. 30
 Rost. 11 20 20 20 Chel. 8
 B. 20 20 B. 1: 13 - B. 2: 11

Igl. 4: 4: 4: 4 - Igl. 4: 1 - gl. 5: 3 s. pat. 1. 12

Fdk. 7 45h
 Kr. 1. 2 2 Kr. 2 = 3 16
 Scl. 16 20

S. cor. 1. 20 20 20
 S. cor. 2. 20 20 20
 S. cor. 3. 17

Abd. 3 20 20 20
 Rg. 60 60 60 60
 s.l. 17 20 20
 s.v. I. 30 20
 s.v. II. 10 20
 s.v. III. 11 20

Sch. 20 20 20
 s.c. 20
 s.a. 20 20
 Epg. 12 20
 Scl. 20 20
 s.g. 10 20
 Epant. 10

♀ 120-21-
 ♂ 90-18



10. *Wendlandia rufescens* Bl. Dist. III: 500 Rubiac.

Phyllocoptes

K.

Sch. 28 20 p 1 82 5 Nf

BH. 7 20 p 1 82 5 Nf

s.d. 10

Rost. Chel. 11 1 sp 4 5 11

B. pr B. 1: 21 - B. 2: 18

gl. 2 Igl. 4: 6 - gl. 5: 3 Igl. 4: 5 - gl. 5: 3 1/2

Fak.

Kr. m

Stl. 7

S. cox. 1. n 20° pcc

S. cox. 2. n 20° pcc

S. cox. 3. n 20° pcc

Abd.

Rg. 27

S. l. 20 n 20° Egg.

S. v. 1. 40 n 20° pcc

S. v. 2. 15-16

S. v. 3. 10-11

Schw. 21

S. C. 25 n 20° pcc

S. a. 0

Erg. 12

Orl.

S. g. 200

Quant.

♀ 90-18



Wendlandia rufescens Bl. Dist. III: 500 Rubiac. 11

Eriophyes wendlandiae

K. Kr. 10

Sch. 112 20 p 1 100 30 p 1

BH. 10 20 p 1 100 30 p 1

s.d. 10-11 n 20° pcc

Rost. Chel. 9 ~

B. w B. 1: 12 - B. 2: 11

Igl. 4: 2 1/2 - gl. 5: 3 - Igl. 4: 2, gl. 5: 3

Fak. 10

Kr. 1: 3, Kr. 2: 4

Stl. 7 ~

S. cox. 1. n 20° pcc e 200

S. cox. 2. n 20° pcc e 200

S. cox. 3. n 20° pcc

Abd. 20 p 1 100 30 p 1 - DH. 2 RS. 10 p 1, BS. 10 p 1

Rg. 68 76

S. l. 12 n 20° Egg

S. v. 1. 20 n 20° pcc

S. v. 2. 10 n 20° pcc

S. v. 3. 8 n 20° pcc

Schw. 21

S. C. 25 n 20° pcc

S. a. 0

Erg. 12 n 20° pcc

Orl. 10

S. g. 50 n 20° pcc

Quant.

♀ 110-18



16. Macaranga Tanarins (14)

Eriophyes dactyloxy typ

K. 100-12

Sch. 12. 100-12

BH. 7. 100-12

s.d. 9. 100-12

Rosch. 100-12

B. 100-12

Bp. 10-13.2 80-100

g. 4.55 100-12

$100 + 95 = 195$
 $100 + 95 = 195$

Fdk. 5.5

Kr. 1. 100-12 Kr. 2. 100-12

St. 100-12

S. 100-12

S. 100-12

S. 100-12

Abd. 100-12

Rg. 100-12

St. 8 100-12

s.v. 1. 100-12

s.v. 2. 100-12

s.v. 3. 100-12

Schw. 100-12

a.c. 100-12

a.a. 100-12

Eg. 10 100-12

St. 100-12

a.g. 100-12

Eg. 100-12

♀ 100-12

♂ 80-100

Euphotos

Sch. 100-12

Aen. campestris (H+62) Emicun

Phyllocoptes gymnae

K. 100-12

Sch. 24 100-12 Sch. 100-12 (Zach. 100-12, pag. 33)

BH. 100-12

s.d. 100-12

Rosch. 100-12

B. 100-12

IB 100-12

II B 100-12

Fdk. 100-12

Kr. I. 100-12

Kr. II. 100-12

St. 100-12

S. 100-12

S. 100-12

Abd. 100-12

Rg. 100-12

St. 100-12

s.v. I. 100-12

s.v. II. 100-12

s.v. III. 100-12

Schw. 100-12

a.c. 100-12

a.a. 100-12

Eg. 100-12

St. 100-12

a.g. 100-12

♀ 100-12

♂ 100-12

S. fragilis	19 22 22 33 35	30 17 20
S. grandifolia	20 20 36 18.	30
S. alba	21 24 25 31 25 37	19 22 23 20 26 27 28 28 18 26 27
S. cinerea	22 .	.
S. caprea	23	17
S. amygdalina	24 39	12
S. incana	26	14 15
S. aurita	27 27 29	.
S. retusa r. sup.	28	.
S. reclusa	28 28	24
S. arbuscula	30	24
S. purpurea	33 34 34 38 34	18
S. babylonica		22 21
S. Forbesiana		24 21
S. fruticosa p.g.		25

24 Salix alba Blattknoschen ⊕ 299a

Eriophyes salicinus type Inquil 5 105-20-

Kr. 1. 1/2

Sch. 21 3 2 2 2

BH. 7 2 2 2 2 2 2

s.d. 20 20 20 20 20 20

Root of 1/2 1/2 1/2 1/2 1/2 1/2

B. 2. 19 - 96. 5 + 96. 4 = 10 s. pat. I. 18 1/2

B. 2. 19 - 96. 5 + 96. 4 = 10 B. 2. 19 - 96. 5 + 96. 4 = 10

Kr. 1. 1/2 - Kr. 2. 1/2 5

Falk. 5-14 1/2

Sch. 1/2

S. cox. I. 2 2 2 2 2 2

S. cox. II. 2 2 2 2 2 2

S. cox. III. 2 2 2 2 2 2

Abt. 1/2 1/2 1/2 1/2 1/2 1/2

60 R. 1/2 1/2 1/2 1/2 1/2 1/2

1. v. I. 2 2 2 2 2 2

1. v. II. 12 12 12 12 12 12

1. v. III. 12 12 12 12 12 12

S. v. 1/2 1/2 1/2 1/2 1/2 1/2

Sch. 1/2

s.e. 50 50 50 50 50 50

s.a. 1

Eng. 210 210 210 210 210 210

SKL. 1/2

s.g. 12 12 12 12 12 12

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Salix alba Blattknoschen ⊕ 299a

Phyllocladus magnirostris?

Kr. 1. 1/2

Sch. 21 3 2 2 2

BH. 7 2 2 2 2 2 2

s.d. 20 20 20 20 20 20

Root. 20 20 20 20 20 20

B. 2. 19 - 96. 5 + 96. 4 = 10 s. pat. I. 18 1/2

B. 2. 19 - 96. 5 + 96. 4 = 10 B. 2. 19 - 96. 5 + 96. 4 = 10

Kr. 1. 1/2 - Kr. 2. 1/2 5

Falk. 5-14 1/2

Sch. 1/2

S. cox. I. 2 2 2 2 2 2

S. cox. II. 2 2 2 2 2 2

S. cox. III. 2 2 2 2 2 2

Abt. 1/2 1/2 1/2 1/2 1/2 1/2

60 R. 1/2 1/2 1/2 1/2 1/2 1/2

1. v. I. 2 2 2 2 2 2

1. v. II. 12 12 12 12 12 12

1. v. III. 12 12 12 12 12 12

S. v. 1/2 1/2 1/2 1/2 1/2 1/2

Sch. 1/2

s.e. 50 50 50 50 50 50

s.a. 1

Eng. 210 210 210 210 210 210

SKL. 1/2

s.g. 12 12 12 12 12 12

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Salix alba Blattknoschen ⊕ 299a

Phyllocladus magnirostris?

Kr. 1. 1/2

Sch. 21 3 2 2 2

BH. 7 2 2 2 2 2 2

s.d. 20 20 20 20 20 20

Root. 20 20 20 20 20 20

B. 2. 19 - 96. 5 + 96. 4 = 10 s. pat. I. 18 1/2

B. 2. 19 - 96. 5 + 96. 4 = 10 B. 2. 19 - 96. 5 + 96. 4 = 10

Kr. 1. 1/2 - Kr. 2. 1/2 5

Falk. 5-14 1/2

Sch. 1/2

S. cox. I. 2 2 2 2 2 2

S. cox. II. 2 2 2 2 2 2

S. cox. III. 2 2 2 2 2 2

Abt. 1/2 1/2 1/2 1/2 1/2 1/2

60 R. 1/2 1/2 1/2 1/2 1/2 1/2

1. v. I. 2 2 2 2 2 2

1. v. II. 12 12 12 12 12 12

1. v. III. 12 12 12 12 12 12

S. v. 1/2 1/2 1/2 1/2 1/2 1/2

Sch. 1/2

s.e. 50 50 50 50 50 50

s.a. 1

Eng. 210 210 210 210 210 210

SKL. 1/2

s.g. 12 12 12 12 12 12

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Salix alba Blattknoschen ⊕ 299a

Phyllocladus magnirostris?

Kr. 1. 1/2

Sch. 21 3 2 2 2

BH. 7 2 2 2 2 2 2

s.d. 20 20 20 20 20 20

Root. 20 20 20 20 20 20

B. 2. 19 - 96. 5 + 96. 4 = 10 s. pat. I. 18 1/2

B. 2. 19 - 96. 5 + 96. 4 = 10 B. 2. 19 - 96. 5 + 96. 4 = 10

Kr. 1. 1/2 - Kr. 2. 1/2 5

Falk. 5-14 1/2

Sch. 1/2

S. cox. I. 2 2 2 2 2 2

S. cox. II. 2 2 2 2 2 2

S. cox. III. 2 2 2 2 2 2

Abt. 1/2 1/2 1/2 1/2 1/2 1/2

60 R. 1/2 1/2 1/2 1/2 1/2 1/2

1. v. I. 2 2 2 2 2 2

1. v. II. 12 12 12 12 12 12

1. v. III. 12 12 12 12 12 12

S. v. 1/2 1/2 1/2 1/2 1/2 1/2

Sch. 1/2

s.e. 50 50 50 50 50 50

s.a. 1

Eng. 210 210 210 210 210 210

SKL. 1/2

s.g. 12 12 12 12 12 12

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

Epand. 1/2 1/2 1/2 1/2 1/2 1/2

26. *Salix incana* 553/756 ⊕ cf. 10 p 15

Eriophyes salina *salinus*

K. 100 100 100

Sch. 12 12 12 - 15 15 15

BH. 10 10 10

s.d. 18 18 18

Root. 15 15 15

B. 18 - 9 4: 6 + 9 5: 4

B. 2: 16 - 9 4: 5 + 9 5: 4

FR. 4 (5?) 4 4

Kr. 1 1 1

Sch. 1 1 1

S. ex. I. 2 2 2

I. 2 2 2

III. 20 20 20

Abd. 10 10 10

s.l. 10 10 10

s.v. I. 20 20 20

II. 12 12 12

III. 15 15 15

Schnpl. 10 10 10

s.c. 10 10 10

s.a. 10 10 10

Erg. 12 12 12

DKL 10 10 10

s.g. 10 10 10

Grand 8 8 8

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

75 - 18 - 8

95 - 21 - 12

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100



Salix aurita 572 Cep. +

Eriophyes lutanostrix v. *laevis*

K. 100 100 100

Sch. 12 12 12

BH. 10 10 10

s.d. 18 18 18

Root. 15 15 15

B. 20 B. 1: 9 4: 6 + 9 5: 4

10 B. 2: 9 4: 5 + 9 5: 4

Falk. 4 4 4

Kr. 2 2 2

Sch. 1 1 1

S. ex. I. 2 2 2

I. 2 2 2

III. 20 20 20

Abd. 10 10 10

s.l. 10 10 10

s.v. I. 20 20 20

II. 12 12 12

III. 15 15 15

Schnpl. 10 10 10

s.c. 10 10 10

s.a. 10 10 10

Erg. 12 12 12

DKL 10 10 10

s.g. 10 10 10

Grand 8 8 8

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100



Salix aurita 572 Cep. +

Eriophyes gemmarum ?

K. 100 100 100

Sch. 12 12 12

BH. 10 10 10

s.d. 18 18 18

Root. 15 15 15

B. 20 B. 1: 9 4: 6 + 9 5: 4

10 B. 2: 9 4: 5 + 9 5: 4

Falk. 4 4 4

Kr. 2 2 2

Sch. 1 1 1

S. ex. I. 2 2 2

I. 2 2 2

III. 20 20 20

Abd. 10 10 10

s.l. 10 10 10

s.v. I. 20 20 20

II. 12 12 12

III. 15 15 15

Schnpl. 10 10 10

s.c. 10 10 10

s.a. 10 10 10

Erg. 12 12 12

DKL 10 10 10

s.g. 10 10 10

Grand 8 8 8

100 100 100

100 100 100

100 100 100

100 100 100

100 100 100



Knospenartig, Cep. oben, unten konisch
vorrangend; Kahl. Eingang geröhrt.
Innenwand Kahl unter dem Kapselgipfel.

Cep. V. 10 10 10
Kahl. Eingang geröhrt.
Innenwand Kahl unter dem Kapselgipfel.
wie S. cinerea L.

30. *Salix arbuscula* L. 128

280-25

Eriophyes lanathrix

2 Forman

a) phylloscopidae, b) eriophyes

+ Phylloscop. sp.

K. 10 R. 10

Sch. 20 20 20 20 20

BH.

S.d. 30 20 20 20

Root. 16 16 16

B. 1. 19 B. 1. 19 - gl. 4. 5 + gl. 5. 4 a pat. I. 20

B. 2. 17 B. 2. 17 - gl. 4. 4 + gl. 5. 4

Fake 4 str.

Kr. 1. 4 Kr. 2. 4

St. 7

S. cox. I. 20

II.

III.

Abd. a) phylloscop. F: R. Hg 50 (su) 100% BS. B. Hg 0. 30 20
(b) erioph. F: R. Hg 50 100% R. Hg 100% 100%

S. l. 10

S. v. I. 20 20 20

II. 15 12

III. 18 15

Schnpl.

S. c. 30 20 20

S. a. 13

Erg. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

Salix alba 494 *Randw. 181*

Eriophyes truncatus 90-20

K. 10 R. 10

Sch. 18 20 20 20

BH. 2 48

S.d. 18 20 20 20

Root. 16 16 16 16

B. 1. 19 B. 1. 19 - gl. 4. 5 + gl. 5. 4 a pat. I. 16

B. 2. 17 B. 2. 17 - gl. 4. 4 + gl. 5. 4

Fake 4 str.

Kr. 1. 4 Kr. 2. 4

St. 7

S. cox. I. 20 20 20

II. 15 12

III. 18 15

Abd. R. Hg 50 100% BS. B. Hg 0. 30 20

S. l. 10 20 20 20

S. v. I. 20

II. 15 12

III. 18 15

Schnpl.

S. c. 30 20 20

S. a. 13

Erg. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

St. 12 12

34. *Salix purpurea* 534 Rostk +

Eriophyes laevigatus arepitobius

K. 100

Sch. 720

BH. 20

S.d. 75

Rost. 2. 15

B. 1. 9

B. 2. 9

Fol. 45

Kr. 1:4

Sch. 7

S. cor. F

II. 20

Abt. 2. 10

S. l. 10

S. v. I. 76

II. 12

III. 15

Sch. 7

S. C. 10

S. a. 2

Erg. 12

Sch. 10

S. 10

Erg. 9

S. 70-22-9

S. 85-23

S. 10-20

S. 10-20

S. 10-20

S. 10-20

Salix purpurea 318 Cephal

Eriophyes laevigatus var.

Sch. 27

Sch. 27

Rost. 2. 15

B. 1. 9

B. 2. 9

Fol. 45

Kr. 1:4

Sch. 7

S. cor. F

II. 20

Abt. 2. 10

S. l. 10

S. v. I. 76

II. 12

III. 15

Sch. 7

S. C. 10

S. a. 2

Erg. 12

Sch. 10

S. 10

Erg. 9

S. 70-22-9

S. 85-23

S. 10-20

S. 10-20

S. 10-20

S. 10-20

S. 10-20

S. 10-20

Salix amygdalina 554

Phyllocladus phyllocladus

K. 100

Sch. 22

Sch. 22

Rost. 2. 15

B. 1. 9

B. 2. 9

Fol. 45

Kr. 1:4

Sch. 7

S. cor. F

II. 20

Abt. 2. 10

S. l. 10

S. v. I. 76

II. 12

III. 15

Sch. 7

S. C. 10

S. a. 2

Erg. 12

Sch. 10

S. 10

Erg. 9

S. 70-22-9

S. 85-23

S. 10-20

S. 10-20

S. 10-20

S. 10-20

S. 10-20

Salix fragilis 97

38 *Salix purpurea* 316 Wirtzopf

Eriophyes salicinus

K. 7. 1. 1. 1. 1.

Sch. 19. 2. 2.

BH. 7. 1. 1. 1. 1.

Sch. 19. 2. 2.

Root 7. 1. 1. 1. 1.

B. 1. 2. 1. 1. 1. 1.

B. 2. 1. 1. 1. 1. 1.

Falk. 5. 1. 1. 1. 1.

Kr. 1. 1. 1. 1. 1.

Sch. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

Alb. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.



Salix amygdalinea 554 Rindorf

Eriophyes salicinus ?

K. 7. 1. 1. 1. 1.

Sch. 22. 2. 2.

BH. 7. 1. 1. 1. 1.

Sch. 22. 2. 2.

Root 7. 1. 1. 1. 1.

B. 1. 2. 1. 1. 1. 1.

B. 2. 1. 1. 1. 1. 1.

Falk. 5. 1. 1. 1. 1.

Kr. 1. 1. 1. 1. 1.

Sch. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

Alb. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.




S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.



Salix purpurea 316 Wirtzopf + 39

Eriophyes salicinus ?

K. 7. 1. 1. 1. 1.

Sch. 22. 2. 2.

BH. 7. 1. 1. 1. 1.

Sch. 22. 2. 2.

Root 7. 1. 1. 1. 1.

B. 1. 2. 1. 1. 1. 1.

B. 2. 1. 1. 1. 1. 1.

Falk. 5. 1. 1. 1. 1.

Kr. 1. 1. 1. 1. 1.

Sch. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

Alb. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.







S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.

S. 1. 1. 1. 1. 1.



Trimurus salicobius typ. *S. alba*
 Anz. 92, p. 128, *Trimurus s. dent.* 92 p 590

Anthocoptes salicis = *Phylloc. s.* Anz. 90 p 23
 Anthoc. s. Acta 94

Ph. magnirostris netz. 4st. 45 3/4 frag
Ph. parvus netz. 5st. 30 alba
Ph. phylloides netz. 4st. 34 1/2 baby
Ph. phyllocopt 3 | 4st. 50 200 1/2 purp.

	K	Sch	Zern	BH	sd.	Rm	B	Flu	SL	Htg	Ph	sof.	II.	III.	so.	Sp
<i>Phyll. phyllocopt</i>	1/10	21		mt	30	17	20	5	γ	48	gl	40	15	20	1	13
<i>Phyll. phyllocopt</i>	"	20		mt	25	20	20	4.5	γ	52	gl	30	12	16	2 1/2	12
<i>Phyll. magnirostris</i>	1/10	26	netz	mt	40-50	20	20	4	γ	38-46	gl	20	12	15	1/2	14
<i>Phyll. phyllopt</i>	1/10	24	netz	mt	25	15	20	4	?	30	gl	20	11	18	2	13
<i>Phyll. parvus</i>	1/10	22	netz	mt	12	14		5	γ	29	gl	30	16	15	1	-12
<i>Phyll.</i>	1/10	20	netz	mt	18	18	20	4	γ	44	gl	20	12	18	2	-12
<i>Anthoc. salicis</i>	1/8	20	Netz	mt	20	12		4	γ	18+3	gl	25	5	11	1 1/2	12

515 *S. purp.* Rolla
S. alba 10/18/3
 316 *S. purp.* Wirtz
 9/39

410 *S. frag.* Rolla
 9/33
 314 *S. frag.* Wirtz
 10/20

9/10/32
 316 *S. purp.* Wirtz
 9/40

<i>Ph. phyllocopt</i>	1/10	21	11		30	17	20	5	γ	48	gl	40	15	20	1	13
"	10/18	23	11		30	17	20	5	γ	48-52	gl	40	15	20	1	13

typ. purp
 alba
 purp. Wirtz.

<i>Ph. parvus</i>	10/20	22	netz		12	17	10	5		26+3		25	15	15	50	12
"	typ. 10/20	20	netz		16	20		5		31		30	20	16	50	12

frag. Wirtz
 alba Wirtz 10/26

<i>Ph. phylloides</i>	10/27	22	netz		25	14	10	4	γ	32		25	10	16	mt	13
<i>Ph. "</i>	10/27	20	netz		18	15		4	γ	32		25	12	18	mt	12

baby (Wirtz)

<i>Ph. magnirostris</i>	1/10	26	netz		40-50	22	12	4	γ	238		20	12	18		14
<i>Ph. X</i>	1/10	22	netz		15	28	10	4	γ	42						

frag

No. pl	Bystr.		Schl.	s.d.	F&K.	Rg.	s.v.	sl.	I.	II.	III.	sc.	Epg.	
311 Ceph.	9/19	<u>S. fragilis</u>	<u>E. tetan. typ.</u>	21	40-50	4	52.56	fein	12	30	15	20	35	14
310 Ceph.	10/30	(")	" var?	-19	20	4	56	sl. fein	12	20	11	15	40	12
841 Ceph.	9/20	<u>S. grandifol.</u>	<u>E. gemmarum</u>	20	20	6	74	sl. fein	12	35	16	20	50	-13
"	"	"	<u>E. salicinus</u>	19	15	5.2	90-100		15	30	14	18	W	11
"	9/36	"	<u>E. tetan. var.</u>	19	17	4	58	fein	11	25	12	15		11
"	10/30	"	<u>E. tetan. var.</u>	17	20	5	?	sl. fei	12	30	15	20	50	11
504 Ceph.	9/21	<u>S. alba</u>	<u>E. tetan. var.</u>	19	-40	4	54	sl. fei	14	30	14	18	55	12
299a Ceph.	9/24	"	<u>E. salicinus</u>	19	20	5	94	fein	12	25	12	18	50	10
494 Rant	9/31	"	? <u>E. latratu</u>	18	18	4	52	s. fein	10	20	12	16	40	11
100 (1923) Ceph.	10/19	"	<u>E. gemmar.</u>	?	20	5-6	?	sl. fei	?	25	12	20	?	11
95 (1923) Rant	10/23	"	<u>E. tetan. var.</u>	20	20	4	64	s. fein	10	20	12	18	45	12
299a Ceph.	10/23	"	<u>E. salicinus</u>	17	20	5	?	s. fein	?	25	12	15	50	?
73 (1923) W. 772	10/26	"	<u>E. latratu</u>	17+5	-10	31	80	ao. fein	15	25	7	15	30	12
1005 (1923) Ceph.	10/27	"	<u>E. salicinus</u>	10+3	20	5	?	fein	15	45	12	18	45	10
93 (1923) W. 772	10/28	"	<u>E. ?</u>	?	60.5	?	?	sl. fei	12	20	15	18	40?	14
100 (1923) Ceph.	10/28	"	<u>E. ?</u>	19	20	?	64	fein. sl.	?	25	12	18		?
576 Ceph.	9/22	<u>S. cinerea</u>	<u>E. tetan. typ.</u>	21	25	4	84	s. fein	15	25	15	20	35	-14/13
578 Ceph.	9/23	<u>S. caprea</u>	<u>E. tetan. x</u>	-19	20	4	68	s. fein	15	25	15	20	50	12
"	10/19	"	<u>E. tetan. x</u>	20	20	4	68	fein	12	25	15	20	50	13
554 Rant	9/24	<u>S. amygdal.</u>	<u>E. tetan. typ.</u>	23	15	?	84	?	15	25	?	?	?	14
"	9/39	"	<u>E. tetan. typ.</u>	22	25.5	4	88.6	s. fein	11	20	12	18	W	15
553, 756 Ceph.	9/26	<u>S. incana</u>	<u>E. salicinus</u>	17	18	5.2	78	s. fein	10	20	12	15	?	+11
1922 Ceph.	10/14	"	<u>E. tetan. var.</u>	18	20	4	56	fein	10	20	12	15	45	11
"	10/15	"	<u>E. salicinus</u>	17	15	5	84	s. fein	10	25	11	16	?	11
572 Ceph.	9/27	<u>S. aurida</u>	<u>E. tetan. v. lac.</u>	18	15.5	4	58	s. fein	12	35	12	20	50	11
"	"	"	<u>E. gemmar.</u>	+19	15-20	6	74	sl. fei	12	35	15	20	W	-11
303	9/20	"	" ?	?	?	?	?	fein	12	25	10	18	W	?

+ Schleichden Int

Ing. Phyll. phytoph.
E. salicinus

Ing. Phyll. phytoph.

Ing. Epistemon salicinus

Ing. S. cinerea 576

Ing. E. salicinus

Ing. Phyll. phytoph.

" "

167 Ceph.	9/28	<i>S. retusa</i> v. sup.	<i>E. letan.</i> var.	20	40	4	64	fern	12	30	15	18	np	13	7	Phyt. glauca Th.
613 Rand	10/24	<i>S. retusa</i> X	<i>E. let.</i> ^{drapp} volcan	24	40	4	64	2. fern	16	40	12	15	?	15		
128	9/30	<i>S. arbuscula</i>	<i>E. letan.</i>	20	35	4	56	2 fern	10	20	15	18	30	12		
315 Rand	9/33	<i>S. purpurea</i>	<i>E. fringed</i>	17	18	4	48	2. fern	10	25	12	16	np	10		
534 Rand	9/34	"	X <i>E. letan.</i> ^{drapp} volcan	+20	15	4	62	2. fern	10	20	12	15	np	-12		ing. Phyt. phyllocladus - m.
318 Ceph	"	"	<i>E. letan.</i> var.	22												Ros. B. m
316 Witt	9/38	"	2x <i>E. salicin</i> X	19	20	5	68		12	30	12	15	40	11		
304 Witt	10/22	<i>S. babylonica</i>	<i>E. fringed</i>	23?	12	3	90	2. fern	18	40	10?	12	np	12 1/2		
1923 Rand	10/24	<i>S. Forlganax</i>	<i>E. let.</i> ^{drapp} volcan	20	40	4	62	2. fern	11	20	12	15	40	13		

- 1.) Eriophyes telanethrix typicus p. 182 p. 211 ⊕
- 1a.) E. t. var. salicis albae p. 183 p. 202 ✓
- 2.) E. t. var. s. arbusculae p. 184 ✓
- 3.) E. t. var. glaciata p. 184 ✓
- 4.) E. t. var. laevis p. 185 ✓
- 5.) E. t. var. salicis incanae p. 185 ✓
- 6.) E. t. var. s. grandifoliae p. 186 ✓
- ~~2a.) E. t. glaciata p. 184.~~

- 1a.) Eriophyes telanethrix craspedobius ^{typ.} p. 203 S. alba
- a.) E. tel. crasp. var. salicis Forbyanae p. 199
- b.) E. t. crasp. var. s. retusae p. 187

- 2.) Eriophyes salicinus typicus p. 200 ✓
- E. salicinus var. s. incanae ✓

- 3.) Eriophyes gemmarum typicus p. 204 ✓
- S. amara

- 4.) Eriophyes biradiatus typicus p. 205 ✓
- S. alba

- 5.) Eriophyes ileinus typicus p. 205 p. 209 ⊕ ✓
- a.) E. i. var. s. capreae p. 206 ✓
- S. cinerea

- 5a.) Eriophyes ileinus craspedophyes p. 208 ✓
- S. amygdal.

- 6.) Eriophyes truncatus typicus p. 191 ✓
- S. purp.

- 1.) Phyllocoptes magnirostris ^{typ.} p. 186 p. 190 ✓
- 2.) Phyllocoptes pycnorhynchus typicus p. 194 ✓
- 3.) Phyllocoptes phylloptoides typicus p. 196 ✓
- 4.) Phyllocoptes phylloptoides ^{typ.} p. 188, p. 193 ✓
- var. s. albae p. 193
- 5.) Phyllocoptes parvus ^{typ.} p. 213 000 000 000 23 ✓
- 6.) Anthrocoptes salicis typicus p. 189 000 001
- 5a.) A. s. v. s. albae p. 189
- 7.) Epitrimerus